

Year	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100
1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	

Gary George
1067 Inverness Way
Sunnyvale, CA 95014

Assignee:

HEWLETT PACKARD COMPANY

SYSTEM AND METHOD FOR CUSTOMIZING ELECTRONIC COMMUNICATIONS

FIELD OF THE INVENTION

The present invention generally relates to customer-subscribed newsletters and more particularly to the management of electronic communications received by customers from vendors and service providers.

BACKGROUND OF THE INVENTION

A factor contributing to the success of any vendor is the ability to target a communication to a selected segment of the purchasing public having a need for certain products and/or services being offered by the vendor. Effective communications with current and potential customers may lead to the growth of the vendor's revenue. However the vendor may be insufficiently integrated with the customer so as to be apprised of changes in customers' interests.

In order to more effectively identify those individuals that might be interested in certain products or services, numerous data sources have been developed for helping vendors with their marketing and advertising efforts. For example, vendors establish databases which are representative of individuals who have purchased certain products or services in the past. Data is gathered from interviews and telephone solicitations. Related data is also obtained from other sources such as zip code-based address market data services, government motor vehicle listings, or from purchases made by credit card.

Customers, on the other hand, would appreciate being informed of the latest developments and availability of new products and services. However, the number of resources of information available combined with a decrease in the time available for research has made it difficult for customers to become reasonably educated before making a purchase. The Internet has been extremely helpful in reducing research time but reviewing electronic newsletter subscriptions and visiting certain websites on a regular basis to receive development updates is also becoming increasingly difficult. Finally, the explosive use of electronic mail as a communications medium has made it difficult for consumers to review and consider the content of incoming electronic mail, in view of the volume, before the information contained therein becomes outdated.

It would be highly desirable to have a method for improving the quality and reducing the quantity of product information being sent to a customer. It would also be desirable to

have an electronic communications system that would enable a vendor to monitor changing customer interests as they occur.

A method and a system that address the aforementioned problems, as well as other related problems, are therefore desirable.

5

SUMMARY OF THE INVENTION

The present invention is directed to addressing the above and other needs in connection with the customization of electronic communications by a customer with respect to content and receipt date. It has been discovered that a vendor or service provider is able to improve his knowledge base with respect to his customers' evolving interests without directly involving the customer in a time consuming exercise in data gathering.

10

According to one aspect of the invention, a computer-implemented method for customizing electronic communications to a customer includes storing a set of customer-provided data in a first database, the customer-provided data being associated with a customer identification code and characterizing the customer. A set of customer-behavioral data is then generated in response to a data selection made by the customer at an informational database and is stored in the vendor database in association with the customer identification code. A content database is configured for storage of a plurality of product data sets and then at least one product data set is selected from the content database as a function of the customer-provided and the customer-behavioral data. The customer is then sent the data set from the selecting step via a communications network.

15
20
25

According to another aspect of the invention, a system for customizing electronic communications to a customer includes a first database configured to store a set of customer-provided data, associated with a customer identification code, that characterizes the customer. The first database is also configured to store a set of customer-behavioral data in association with the customer identification code, the customer-behavioral data being generated in response to a data selection made by the customer from a second database. The system further includes a third database configured to store a plurality of product data sets and includes a server arrangement configured to select at least one product data set from the third database as a function of the customer-provided data and the customer-behavioral data. The server is also configured to construct and send a communications message to the customer via a communications network in response to a message delivery date specified in the customer-provided data.

25
30

It will be appreciated that various other embodiments are set forth in the Detailed Description and Claims that follow.

BRIEF DESCRIPTION OF THE DRAWINGS

5 Various aspects and advantages of the invention will become apparent upon review of the following detailed description and upon reference to the drawings in which:

FIG. 1 is a block diagram of an electronic communications system in accordance with an example embodiment of the invention; and

10 FIG. 2 is a flowchart illustrating the manner that a customer customizes the content and delivery date of electronic communications in accordance with an example embodiment of the invention.

15 While the invention is amenable to various modifications and alternative forms, specifics thereof have been shown by way of example in the drawings and will be described in detail. It should be understood, however, that the intention is not to limit the invention to the particular embodiments described. On the contrary, the intention is to cover all modifications, equivalents, and alternatives falling within the spirit and scope of the invention as defined by the appended claims.

DETAILED DESCRIPTION

20 Various embodiments of the present invention are described in terms of an electronic communications system that allows customers to customize content and delivery of information and that enables vendors to be apprised of evolving customer interests. Those skilled in the art will appreciate that the invention could be implemented in a variety of programming languages, computer platforms and communications systems.

25 Referring now to the figures, FIG. 1 is a block diagram of an electronic communications system 100 in accordance with an example embodiment of the invention. System 100 includes a customer node 102 for providing access via a communications network (e.g. Internet) to a system 104 for managing customer-provided data 104. Data management system 104 includes a plurality of customer-provided data sets 106 and a
30 plurality of customer-behavioral data sets 108 that are stored in a customer profile/behavioral database 110. In this example embodiment, the customer accesses system 104 via a vendor-sponsored website that identifies the customer via an electronic mail address. In this example, the e-mail address serves as a customer identification code but the vendor can choose to issue a customer code that is more descriptive or has more meaning to the vendor

other than an e-mail address. Example customer-provided data 106 identifies customer-requested correspondence gathered from a survey of the customer. Data describing e-commerce transactions that the customer is involved with are also captured and forwarded to database 110. Product or warranty registration data that are provided, either manually (filling out information cards), through point of sale merchant locations or on-line are also captured and stored in database 110. Call center data are also gathered by customer service representatives and stored with other customer-coded information in database 110. Other data, such as overlay data, can be included in database 110 to further enhance the vendor's knowledge of his customer's interests and purchasing habits. Overlay data includes demographic data, data from public records or credit card data that can be purchased and used to learn more about certain customer attributes. All the customer-provided data is stored in database 110 in association with the customer identification code.

Database 110 is also configured to store a plurality of customer-behavioral data sets 108 associated with the customer identification code. The customer-behavioral data is generated in response to a data selection made by the customer from other databases. For instance, customers who access a vendor website choose to review information on products and services. Such selections are captured as customer-behavioral data as an indication of what the customer is interested in. The act of subscribing to electronic newsletters as well as selecting certain web links within an electronic publication are captured as behavioral data 108 and stored in database 110 with the customer identification code. In addition, access to vendor suggested web sites via web site links are also recorded as customer-behavioral data 108 in database 110.

System 100 also includes a content database 112 provided by the vendor. The content database is configured to store a plurality of product data sets. Content database 112 is also configured to include information on services that are provided by the vendor. Database 112 is updated on a regular basis to reflect the vendor's latest offerings.

In this example embodiment, databases 110 and 112 provide input data to an e-mail content merge program 114, which operates in conjunction with a server arrangement 116. The email content merge program is configured to select at least one product data set from content database 112 as a function of the customer-provided data and the customer-behavioral data. For example, based on the accumulated customer profile/behavioral data in database 110, the customer's interests are gauged and information that reflects the interests of the customer is drawn from content database 112. Server 116 is configured to construct and send a communications message, such as an e-mail message, to the customer via a

communications network 102 in response to a message delivery date indicated by the customer in customer-provided data 106. Once the customer reviews the message and selects any web site links, which may be included in the communications message, the selections are captured as data via a behavioral data capture 118 and are recorded as part of database 110. In one example embodiment, an e-mail jumpstation arrangement captures the website-accessed information as behavioral data before the customer sees the actual website being accessed. An email jumpstation is mechanism that records web link selections by instantaneously forwarding the web link selections to recording server. Once recorded the web link is immediately forwarded to the web address that was originally selected. This transmission normally occurs so rapidly that the transfer appears transparent to the person originally selecting the web link.

Display devices such as CRT monitors, cellular and regular telephone displays and personal digital assistant displays are useable to display the communications message to the customer at node 102. In addition, these display and communications devices can access the communications network (traditional or wireless, for example) to download the messages and input customer-provided data directly into database 110. In an example embodiment, voice and video data are also captured through these communications devices and is stored in database 110.

Referring now to FIG. 2, a flowchart 200 illustrates the manner in which a customer uses an electronic communications system 100 to customize the content and delivery date of electronic communications in accordance with an example embodiment of the invention. At step 202, the vendor configures content database 112 for storage of a plurality of product data sets. In this example embodiment, the content database includes the latest information on the vendor's products and services. At step 204, a set of customer-provided data is stored in database 110. The customer-provided data is stored along with the customer identification code for ease of tracking and retrieval. In one example embodiment, customer-provided data 106 are obtained via a manual or electronic customer-provided profile. The customer-provided profile selects or deselects topics of interests, for example. Where the customer is accessing a vendor web site, the customer can be queried for an identification code or the customer can request that an identification code be assigned to him. Thereafter, a list of topics such as Printing, Scanning, PC Projects, Photos, Digital Imaging, etc. is provided for selection. Customer selections are submitted for processing and stored as data 106 in database 110.

At step 206, a set of customer-behavioral data is generated in response to a data selection made by the customer at an informational database. In this example, the informational database includes databases or web sites that the vendor has recommended for customer review. At step 208, the generated data is stored in database 110 and associated with the customer identification code. The selection of a web link becomes data that is stored in database 110. Additional behavioral data that are captured and stored includes past customer purchases, previous interactions with the vendor, electronic newsletter subscriptions, the frequency of communications, and customer interactions with the vendor's web site.

At step 210, at least one product (or service) data set is selected from content database 112 as a function of the customer-provided data and the customer-behavioral data as well as a set of business rules defined by the vendor. In one example embodiment, one of the business rules dictates that certain selected information need not be sent since it is redundant with respect to information sent earlier. Another business rule dictates, for example, temporarily changing a customer's requested mailing date because new information has been loaded in content database 112 that is consistent with the customer's specified areas of interest. Therefore, the information should be sent sooner than the customer originally requested in the customer-provided data 106.

In another example, when sending a communications message to the customer, one of the business rules dictates that even though the customer has indicated interest in product A, information on a related service C should also be included. When the customer reviews the message, any interest that the customer has in service C, by selecting the web link, generates behavioral data that is stored in database 110. In this manner, the vendor learns more about the customer's interests and the customer learns more about what the vendor has to offer.

This process enriches both parties.

At step 210, an electronic communications message is constructed via the e-mail content merge program 114. The communications message is constructed using at least one data set drawn from content database 112 as a function of a message delivery date requested in the customer-provided data. Server 116 then sends via a communications network the electronic message that includes the selected product data set. Upon customer review of the communications message, additional behavioral data are captured and stored as customer-behavioral data 108 in database 110. In one example embodiment, the customer-behavioral data is transmitted via an electronic mail jumpstation as the customer selects web links within

the communications message. The process returns, at this point, to step 208 where the behavioral data is stored in database 110.

The present invention is believed to be applicable to a variety of electronic communication systems that maintain subscriber and customer lists and that are used to regularly communicate with their subscribers. The present invention has been found to be particularly applicable in reducing customer interactions while improving the quality of the information being sent to the customer. The present invention also has the advantage of incrementally developing a database on each customer's interests without requiring the customer to regularly update customer profile information. Other aspects and embodiments of the present invention will be apparent to those skilled in the art from consideration of the specification and practice of the invention disclosed herein. It is intended that the specification and illustrated embodiments be considered as examples only, with a true scope and spirit of the invention being indicated by the following claims.

15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200
205
210
215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500